ATTESTATION ◆ ATTESTATO ◆ ATESTACIÓN ◆ BESCHEINIGUNG ◆ ATTESTATION

Product Service

Attestation of Conformity

No. N8A 092835 0128 Rev. 00

Holder of Attestation: **Suzhou Inovance Technology Co., Ltd.**
No. 52, Tian E Dang Road, Wuzhong District
215104 Suzhou City, Jiangsu Province
PEOPLE'S REPUBLIC OF CHINA

Product: **Electronic frequency converter (AC Drive)**

This Attestation of Conformity is issued on a voluntary basis according to the Low Voltage Directive 2014/35/EU relating to electrical equipment designed for use within certain voltage limits. It confirms that the listed equipment complies with the principal protection requirements of the directive and is based on the technical specifications applicable at the time of issuance. It refers only to the particular sample submitted for conformity assessment. For details see: www.tuvsud.com/ps-cert

Test report no.: 64105193080008

Date, 2025-12-10

(Kevin Liu)

This Attestation does not replace the regulatory EU Declaration of Conformity (DoC) and does not allow for CE marking. After preparation of the necessary documentation and establishing compliance to requirements of all applicable directives, the manufacturer may sign a DoC and apply the CE marking. The DoC is issued under the sole responsibility of the manufacturer.

TÜV SÜD Product Service GmbH • Ridlerstraße 65 • 80339 Munich • Germany

TÜV®

ATTESTATION ◆ ATTESTATO ◆ ATESTACIÓN ◆ BESCHEINIGUNG ◆ ATTESTATION

Product Service

Attestation of Conformity

No. N8A 092835 0128 Rev. 00

Model(s):

MD500T18.5G(a), MD500T18.5GB(a), MD500T18.5G/22P-PLUS(a), MD500T18.5G/22PB-PLUS(a), MD500T18.5G-PLUS(a), MD500T18.5GB-PLUS(a), MD500ET18.5G(a), MD500ET18.5GB(a), MD500T18.5G-T(a), MD500T18.5GB-T(a), MD500T18.5G/22P-T-PLUS(a), MD500T18.5G/22PB-T-PLUS(a), MD500T18.5G-T-PLUS(a), MD500T18.5GB-T-PLUS(a), MD500ET18.5G-T(a), MD500ET18.5GB-T(a), MD500T22G-T(a), MD500T22GB-T(a), MD500T22G/30P-T-PLUS(a), MD500T22G/30PB-T-PLUS(a), MD500T22G-T-PLUS(a), MD500T22GB-T-PLUS(a), MD500ET22G-T(a), MD500ET22GB-T(a), MD500T22G(a), MD500T22GB(a), MD500T22G/30P-PLUS(a), MD500T22G/30PB-PLUS(a), MD500T22G-PLUS(a), MD500T22GB-PLUS(a), MD500T22P(a), MD500T22PB(a), MD500ET22G(a), MD500ET22GB(a), MD500T30P (a), MD500T30PB(a), MD500T30G(a), MD500T30GB(a), MD500T30G/37P-PLUS(a), MD500T30G/37PB-PLUS(a), MD500T30G-PLUS(a), MD500T30GB-PLUS(a), MD500ET30G(a), MD500ET30GB(a), MD500T37P(a), MD500T37PB(a), MD500T37G(a), MD500T37GB(a), MD500T37G/45P-PLUS(a), MD500T37G/45PB-PLUS(a), MD500T37G-PLUS(a), MD500T37GB-PLUS(a), MD500ET37G(a), MD500ET37GB(a), MD500T45P(a), MD500T45PB(a), MD290T18.5G/22P-T(a), MD290T18.5G/22PB-T(a), MD290T18.5G/22P(a), MD290T18.5G/22PB(a), MD290T22G/30P(a), MD290T22G/30PB(a), MD290T22G/30P-T(a), MD290T22G/30PB-T(a), MD290T30G/37P(a), MD290T30G/37PB(a), MD290T37G/45P(a), MD290T37G/45PB(a), MD290T18.5G/22PB(a), MD290T22G/30PB(a), MD290T30G/37PB(a), MD290T37G/45PB(a),

This Attestation does not replace the regulatory EU Declaration of Conformity (DoC) and does not allow for CE marking. After preparation of the necessary documentation and establishing compliance to requirements of all applicable directives, the manufacturer may sign a DoC and apply the CE marking. The DoC is issued under the sole responsibility of the manufacturer.

ATTESTATION ◆ ATTESTATO ◆ ATTESTACIÓN ◆ BESCHEINIGUNG ◆ ATTESTATION

Product Service

Attestation of Conformity

No. N8A 092835 0128 Rev. 00

**CS200-4T18.5GB(a), CS710-4T18.5GB(a),
CS200-4T22GB(a), CS710-4T22GB(a),
CS200-4T30GB(a), CS710-4T30GB(a),
CS200-4T37GB(a), CS710-4T37GB(a),
IS580T020-R1(a), IS580T020-R1-S(a),
IS580T030-R1(a), IS580T030-R1-S(a),
IS580T035-R1(a), IS580T035-R1-S(a),
IS580T040-R1(a), IS580T040-R1-S(a),
IS580T050-R1(a), IS580T050-R1-S(a),
IS580T070-R1(a), IS580T070-R1-S(a),
IS650XT025(a), IS650XT032(a), IS650XT037(a),
IS650XT045(a), IS650XT060(a),
MD500L-T18.5GB(a), MD500L-T22GB(a),
MD500L-T30GB(a), ES510T042-R1(a),
MD520-4T18.5(a), MD520-4T18.5B(a),
MD520-4T18.5S(a), MD520-4T18.5BS(a),
MD520-4T18.5-T(a), MD520-4T18.5B-T(a),
MD520-4T18.5S-T(a), MD520-4T18.5BS-T(a),
MD520-4T22-T(a), MD520-4T22B-T(a),
MD520-4T22S-T(a), MD520-4T22BS-T(a),
MD520-4T22(a), MD520-4T22B(a),
MD520-4T22S(a), MD520-4T22BS(a),
ES510T055-R1(a),
MD580-4T75(a), MD580-4T75B(a),
MD520-4T30(a), MD520-4T30B(a), MD520-4T30S(a),
MD520-4T30BS(a), MD580-4T91(a), MD580-4T91B(a),
MD520-4T37(a), MD520-4T37B(a), MD520-4T37S(a),
MD520-4T37BS(a), MD580-4T45(a), MD580-4T45B(a),
MD580-4T60(a), MD580-4T60B(a),
HVD100E-4T22P(a), HVD100E-4T22PB(a),
HVD100E-4T30P(a), HVD100E-4T30PB(a),
MD480T18.5G-PLUS(a), MD480T18.5G-T-PLUS(a),
MD480T18.5GB-PLUS(a),
MD480T18.5GB-T-PLUS(a), MD480T22G-PLUS(a),
MD480T22G-T-PLUS(a), MD480T22GB-PLUS(a),
MD480T22GB-T-PLUS(a),
MD500-2T11G(a), MD500-2T11GB(a),
MD500-2T11G-T(a), MD500-2T11GB-T(a),
MD500E-2T11G(a), MD500E-2T11GB(a),
MD500E-2T11G-T(a), MD500E-2T11GB-T(a),
MD290-2T11G/15PB(a), MD290-2T11G/15P(a),**

This Attestation does not replace the regulatory EU Declaration of Conformity (DoC) and does not allow for CE marking. After preparation of the necessary documentation and establishing compliance to requirements of all applicable directives, the manufacturer may sign a DoC and apply the CE marking. The DoC is issued under the sole responsibility of the manufacturer.

Product Service

Attestation of Conformity

No. N8A 092835 0128 Rev. 00

MD500-2T11G-PLUS(a), MD500-2T11GB-PLUS(a), MD520-2T11(a), MD520-2T11B(a), MD520-2T11S(a), MD520-2T11BS(a), HVD100E-4T37P(a), HVD100E-4T37PB(a), HVD100E-4T45P(a), HVD100E-4T45PB(a), MD480T30G-PLUS(a), MD480T30GB-PLUS(a), MD480T37G-PLUS(a), MD480T37GB-PLUS(a), MD500-2T15G(a), MD500-2T15GB(a), MD500E-2T15G(a), MD500E-2T15GB(a), MD500-2T15G-PLUS(a), MD500-2T15GB-PLUS(a), MD290-2T15G/18.5P(a), MD290-2T15G/18.5PB(a), MD500-2T18.5G(a), MD500-2T18.5GB(a), MD500E-2T18.5G(a), MD500E-2T18.5GB(a), MD500-2T18.5G-PLUS(a), MD500-2T18.5GB-PLUS(a), MD290-2T18.5G/22P(a), MD290-2T18.5G/22PB(a), MD520-2T15(a), MD520-2T15B(a), MD520-2T15S(a), MD520-2T15BS(a), MD520-2T18.5(a), MD520-2T18.5B(a), MD520-2T18.5S(a), MD520-2T18.5BS(a).

Remark:
"(a)" The model number may include a suffix "XXXXXXXXXX", where "XXXXXXXXXX" can be blank or combination of any alphanumeric and/or symbols that represents customer identity.
"X" may be "P" or "N", "P" means Pulse Type; "N" means Net Type.

Brand: **inovance**

This Attestation does not replace the regulatory EU Declaration of Conformity (DoC) and does not allow for CE marking. After preparation of the necessary documentation and establishing compliance to requirements of all applicable directives, the manufacturer may sign a DoC and apply the CE marking. The DoC is issued under the sole responsibility of the manufacturer.

Product Service

Attestation of Conformity

No. N8A 092835 0128 Rev. 00

Parameters:

Rated voltage:	See below table 1-Model list
Rated Current:	See below table 1-Model list
Ambient temperature:	50°C Max.
Overvoltage category:	III
Pullotion dgree:	2
Construction:	Built-in
IP code:	IP20
Maximum operation altitude:	3000m

Remark:

- When installating the equipment, all requirements of the mentioned standard must be fulfilled and it should be suitably installed I closed electrical operation area, and fire/mechanical protection enclosure shalll be provided.
- The frequency inverter has no overcurrent protective device. For safe operation, a suitable external circuit breaker must be employed before installation.

Tested according to: EN 61800-5-1:2007/A11:2021

This Attestation does not replace the regulatory EU Declaration of Conformity (DoC) and does not allow for CE marking. After preparation of the necessary documentation and establishing compliance to requirements of all applicable directives, the manufacturer may sign a DoC and apply the CE marking. The DoC is issued under the sole responsibility of the manufacturer.

TÜV SÜD Product Service GmbH • Ridlerstraße 65 • 80339 Munich • Germany

TÜV®

Product Service

Attestation of Conformity

No. N8A 092835 0128 Rev. 00

Parameters:

Product	Model No.	Rated Input	Rated Output	Size (mm)
AC Drive	IS580T020-R1(a) IS580T020-R1-S(a)	3PH AC 380-480V 36.3A 50/60Hz	3PH AC 0-480V 25.0A 0-300Hz 11kW	350×210×192
	IS580T030-R1(a) IS580T030-R1-S(a)	3PH AC 380-480V 45.1A 50/60Hz	3PH AC 0-480V 32.0A 0-300Hz 15kW	
	IS580T035-R1(a) IS580T035-R1-S(a)	3PH AC 380-480V, 49.5A, 50/60Hz	3PH AC 0-480V, 37A, 0-300Hz, 18.5kW	
	IS580T040-R1(a) IS580T040-R1-S(a) ES510T042-R1(a)	3PH AC 380-480V, 59A, 50/60Hz	3PH AC 0-480V, 45A, 0-300Hz, 22kW	
	MD500T18.5G(a) MD500T18.5GB(a) MD500ET18.5G(a) MD500ET18.5GB(a) MD480T18.5GB(a) MD480T18.5G(a)	3PH AC 380-480V, 49.5A, 50/60Hz	3PH AC 0-480V, 37A, 0-500Hz, 18.5kW	
	MD500T18.5G/22P-PLUS(a) MD500T18.5G/22PB-PLUS(a) MD520-4T18.5(a) MD520-4T18.5B(a) MD520-4T18.5S(a) MD520-4T18.5BS(a)	3PH AC 380-480V 49.5A/59A 50/60Hz	3PH AC 0-480V 37A/45A 0-599Hz 18.5kW/22kW	
	MD580-4T45(a) MD580-4T45B(a)	3PH AC 380-480V 49.5A/59A 50/60Hz	3PH AC 0-480V 37A/45A 0-599Hz 18.5kW/22kW	486x210x224
	MD500T18.5G-PLUS(a) MD500T18.5GB-PLUS(a)	3PH AC 380-480V, 49.5A, 50/60Hz	3PH AC 0-480V, 37A, 0-599Hz, 18.5kW	350×210×192
	CS200-4T18.5GB(a) CS710-4T18.5GB(a)	3PH AC 380-480V, 49.5A, 50/60Hz	3PH AC 0-480V, 37A, 0-150Hz, 18.5kW	
	MD500T18.5G-T(a) MD500T18.5GB-T(a) MD500ET18.5G-T(a) MD500ET18.5GB-T(a) MD480T18.5GB-T(a) MD480T18.5G-T(a)	3PH AC 380-480V, 43.4A, 50/60Hz	3PH AC 0-480V, 37A, 0-500Hz, 18.5kW	

This Attestation does not replace the regulatory EU Declaration of Conformity (DoC) and does not allow for CE marking. After preparation of the necessary documentation and establishing compliance to requirements of all applicable directives, the manufacturer may sign a DoC and apply the CE marking. The DoC is issued under the sole responsibility of the manufacturer.

Product Service

Attestation of Conformity

No. N8A 092835 0128 Rev. 00

	MD500T18.5G/22P-T-PLUS(a) MD500T18.5G/22PB-T-PLUS(a) MD520-4T18.5-T(a) MD520-4T18.5B-T(a) MD520-4T18.5S-T(a) MD520-4T18.5BS-T(a)	3PH AC 380-480V 43.4A/51.3A 50/60Hz	3PH AC 0-480V 37A/45A 0-599Hz 18.5kW/22kW	
	MD500T18.5G-T-PLUS(a) MD500T18.5GB-T-PLUS(a)	3PH AC 380-480V, 43.4A, 50/60Hz	3PH AC 0-480V, 37A, 0-599Hz, 18.5kW	
	MD290T18.5G/22P-T(a) MD290T18.5G/22PB-T(a) MD500T22G-T(a) MD500T22GB-T(a) MD500ET22G-T(a) MD500ET22GB-T(a) MD480T22GB-T(a) MD480T22G-T(a)	3PH AC 380-480V, 51.3A, 50/60Hz	3PH AC 0-480V, 45A, 0-500Hz, 22kW	
	MD500T22G/30P-T-PLUS (a) MD500T22G/30PB-T-PLUS (a) MD520-4T22-T(a) MD520-4T22B-T(a) MD520-4T22S-T(a) MD520-4T22BS-T(a)	3PH AC 380-480V 51.3A/65.8A 50/60Hz	3PH AC 0-480V 45A/60A 0-599Hz 22kW/30kW	
	MD500T22G-T-PLUS (a) MD500T22GB-T-PLUS (a)	3PH AC 380-480V, 51.3A, 50/60Hz	3PH AC 0-480V, 45A, 0-599Hz, 22kW	
	MD500T22G(a) MD500T22GB(a) MD500T22P(a) MD500T22PB(a) MD290T18.5G/22P(a) MD290T18.5G/22PB(a) MD500ET22G(a) MD500ET22GB(a) MD480T22GB(a) MD480T22G(a)	3PH AC 380-480V, 59A, 50/60Hz	3PH AC 0-480V, 45A, 0-500Hz, 22kW	

This Attestation does not replace the regulatory EU Declaration of Conformity (DoC) and does not allow for CE marking. After preparation of the necessary documentation and establishing compliance to requirements of all applicable directives, the manufacturer may sign a DoC and apply the CE marking. The DoC is issued under the sole responsibility of the manufacturer.

Product Service

Attestation of Conformity

No. N8A 092835 0128 Rev. 00

	MD500T22G/30P-PLUS(a) MD500T22G/30PB-PLUS(a) MD520-4T22(a) MD520-4T22B(a) MD520-4T22S(a) MD520-4T22BS(a)	3PH AC 380-480V 59A/65.8A 50/60Hz	3PH AC 0-480V 45A/60A 0-599Hz 22kW/30kW	
	HVD100E-4T22P(a) HVD100E-4T22PB(a)	3PH AC 380-480V 59.0A 50/60Hz	3PH AC 0-480V 45.0A 0-599Hz 22kW	
	HVD100E-4T30P(a) HVD100E-4T30PB(a)	3PH AC 380-480V 65.8A 50/60Hz	3PH AC 0-480V 60.0A 0-599Hz 22kW	
	MD480T18.5G-PLUS(a) MD480T18.5G-T-PLUS(a) MD480T18.5GB-PLUS(a) MD480T18.5GB-T-PLUS(a)	3PH AC 380-480V 49.5A 50/60Hz	3PH AC 0-480V 37.0A 0-599Hz 18.5kW	
	MD480T22G-PLUS(a) MD480T22G-T-PLUS(a) MD480T22GB-PLUS(a) MD480T22GB-T-PLUS(a)	3PH AC 380-480V 59A 50/60Hz	3PH AC 0-480V 45A 0-599Hz 18.5kW	
	MD500-2T11G(a) MD500-2T11GB(a) MD500-2T11G-T(a) MD500-2T11GB-T(a) MD500E-2T11G(a) MD500E-2T11GB(a) MD500E-2T11G-T(a) MD500E-2T11GB-T(a)	3PH AC 200-240V 59.0A 50/60Hz	3PH AC 0-240V 45.0A 0-500Hz 11kW	
	MD290-2T11G/15PB(a) MD290-2T11G/15P(a)	3PH AC 200-240V 65.8A 50/60Hz	3PH AC 0-240V 60A 0-500Hz 15kW	
	MD500-2T11G-PLUS(a) MD500-2T11GB-PLUS(a)	3PH AC 380-480V 59A 50/60Hz	3PH AC 0-480V 45A 0-599Hz 18.5kW	
	MD520-2T11(a) MD520-2T11B(a) MD520-2T11S(a) MD520-2T11BS(a)	3PH AC 200-240V 59A/65.8A 50/60Hz	3PH AC 0-240V 45A/60A 0-599Hz 11kW/15kW	
	MD580-4T60(a) MD580-4T60B(a)	3PH AC 380-480V 59A/65.8A 50/60Hz	3PH AC 0-480V 45A/60A 0-599Hz 22kW/30kW	486x210x224
	MD500T22G-PLUS(a) MD500T22GB-PLUS(a)	3PH AC 380-480V, 59A, 50/60Hz	3PH AC 0-480V, 45A, 0-599Hz, 22kW	350×210×192

This Attestation does not replace the regulatory EU Declaration of Conformity (DoC) and does not allow for CE marking. After preparation of the necessary documentation and establishing compliance to requirements of all applicable directives, the manufacturer may sign a DoC and apply the CE marking. The DoC is issued under the sole responsibility of the manufacturer.

Product Service

Attestation of Conformity

No. N8A 092835 0128 Rev. 00

	CS200-4T22GB(a) CS710-4T22GB(a)	3PH AC 380-480V, 59A, 50/60Hz	3PH AC 0-480V, 45A, 0-150Hz, 22kW	
	MD500T30P (a) MD500T30PB(a) MD290T22G/30P(a) MD290T22G/30PB(a) MD290T22G/30P-T(a) MD290T22G/30PB-T(a)	3PH AC 380-480V, 65.8A, 50/60Hz	3PH AC 0-480V, 60A, 0-500Hz, 30kW	
	IS580T050-R1(a) IS580T050-R1-S(a) ES510T055-R1(a)	3PH AC 380-480V, 57A, 50/60Hz	3PH AC 0-480V, 60A, 0-300Hz, 30kW	400×250×220
	IS580T070-R1(a) IS580T070-R1-S(a)	3PH AC 380-480V, 69A, 50/60Hz	3PH AC 0-480V, 75A, 0-300Hz, 37kW	
	MD500T30G(a) MD500T30GB(a) MD500ET30G(a) MD500ET30GB(a)	3PH AC 380-480V, 57A, 50/60Hz	3PH AC 0-480V, 60A, 0-500Hz, 30kW	
	MD500T30G/37P-PLUS(a) MD500T30G/37PB-PLUS(a) MD580-4T75(a) MD580-4T75B(a) MD520-4T30(a) MD520-4T30B(a) MD520-4T30S(a) MD520-4T30BS(a)	3PH AC 380-480V 57A/71A 50/60Hz	3PH AC 0-480V 60A/75A 0-599Hz 30kW/37kW	
	MD500T30G-PLUS(a) MD500T30GB-PLUS(a)	3PH AC 380-480V, 57A, 50/60Hz	3PH AC 0-480V, 60A, 0-599Hz, 30kW	
	CS200-4T30GB(a) CS710-4T30GB(a)	3PH AC 380-480V, 57A, 50/60Hz	3PH AC 0-480V, 60A, 0-150Hz, 30kW	
	MD500T37P(a) MD500T37PB(a) MD290T30G/37P(a) MD290T30G/37PB(a)	3PH AC 380-480V, 71A, 50/60Hz	3PH AC 0-480V, 75A, 0-500Hz,37kW	
	MD500T37G(a) MD500T37GB(a) MD500ET37G(a) MD500ET37GB(a)	3PH AC 380-480V, 69A, 50/60Hz	3PH AC 0-480V, 75A, 0-500Hz, 37kW	

This Attestation does not replace the regulatory EU Declaration of Conformity (DoC) and does not allow for CE marking. After preparation of the necessary documentation and establishing compliance to requirements of all applicable directives, the manufacturer may sign a DoC and apply the CE marking. The DoC is issued under the sole responsibility of the manufacturer.

Product Service

Attestation of Conformity

No. N8A 092835 0128 Rev. 00

	MD500T37G/45P-PLUS(a) MD500T37G/45PB-PLUS(a) MD580-4T91(a) MD580-4T91B(a) MD520-4T37(a) MD520-4T37B(a) MD520-4T37S(a) MD520-4T37BS(a)	3PH AC 380-480V 69A/86A 50/60Hz	3PH AC 0-480V 75A/91A 0-599Hz 37kW/45kW	
	MD500T37G-PLUS(a) MD500T37GB-PLUS(a)	3PH AC 380-480V, 69A, 50/60Hz	3PH AC 0-480V, 75A, 0-599Hz, 37kW	
	CS200-4T37GB(a) CS710-4T37GB(a)	3PH AC 380-480V, 69A, 50/60Hz	3PH AC 0-480V, 75A, 0-150Hz, 37kW	
	MD500T45P(a) MD500T45PB(a) MD290T37G/45P(a) MD290T37G/45PB(a)	3PH AC 380-480V, 86A, 50/60Hz	3PH AC 0-480V, 91A, 0-500Hz, 45kW	
	HVD100E-4T37P(a) HVD100E-4T37PB(a)	3PH AC 380-480V 71.0A 50/60Hz	3PH AC 0-480V 75.0A 0-599Hz 37kW	
	HVD100E-4T45P(a) HVD100E-4T45PB(a)	3PH AC 380-480V 86.0A 50/60Hz	3PH AC 0-480V 91.0A 0-599Hz 45kW	
	MD480T30G-PLUS(a) MD480T30GB-PLUS(a)	3PH AC 380-480V 57.0A 50/60Hz	3PH AC 0-480V 60.0A 0-599Hz 30kW	
	MD480T37G-PLUS(a) MD480T37GB-PLUS(a)	3PH AC 380-480V 69.0A 50/60Hz	3PH AC 0-480V 75.0A 0-599Hz 37kW	
	MD500-2T15G(a) MD500-2T15GB(a) MD500E-2T15G(a) MD500E-2T15GB(a)	3PH AC 200-240V 57.0A 50/60Hz	3PH AC 0-240V 60.0A 0-500Hz 15kW	
	MD500-2T15G-PLUS(a) MD500-2T15GB-PLUS(a)	3PH AC 200-240V 57.0A 50/60Hz	3PH AC 0-240V 60.0A 0-500Hz 15kW	
	MD290-2T15G/18.5P(a) MD290-2T15G/18.5PB(a)	3PH AC 200-240V 71A 50/60Hz	3PH AC 0-240V 75A 0-500Hz 18.5kW	
	MD500-2T18.5G(a) MD500-2T18.5GB(a) MD500E-2T18.5G(a) MD500E-2T18.5GB(a)	3PH AC 200-240V 86A 50/60Hz	3PH AC 0-240V 91A 0-500Hz 22kW	
	MD500-2T18.5G-PLUS(a) MD500-2T18.5GB-PLUS(a)	3PH AC 200-240V 69.0A 50/60Hz	3PH AC 0-240V 75.0A 0-500Hz 18.5kW	

This Attestation does not replace the regulatory EU Declaration of Conformity (DoC) and does not allow for CE marking. After preparation of the necessary documentation and establishing compliance to requirements of all applicable directives, the manufacturer may sign a DoC and apply the CE marking. The DoC is issued under the sole responsibility of the manufacturer.

Product Service

Attestation of Conformity

No. N8A 092835 0128 Rev. 00

	MD290-2T18.5G/22P(a) MD290-2T18.5G/22PB(a)	3PH AC 200-240V 86A 50/60Hz	3PH AC 0-240V 91A 0-500Hz 22kW	
	MD520-2T15(a) MD520-2T15B(a) MD520-2T15S(a) MD520-2T15BS(a)	3PH AC 200-240V 57A/71A 50/60Hz	3PH AC 0-240V 60A/75A 0-599Hz 15kW/18.5kW	
	MD520-2T18.5(a) MD520-2T18.5B(a) MD520-2T18.5S(a) MD520-2T18.5BS(a)	3PH AC 200-240V 69A/86A 50/60Hz	3PH AC 0-240V 75A/91A 0-599Hz 18.5kW/22kW	
	IS650XT025(a)	3PH AC 380-440V 20.0A 50/60Hz	3PH AC 0-380V 25.0A 0-400Hz 11kW	350x210x192
	IS650XT032(a)	3PH AC 380-440V 24.0A 50/60Hz	3PH AC 0-380V 32.0A 0-400Hz 15kW	
	IS650XT037(a)	3PH AC 380-440V 30.0A 50/60Hz	3PH AC 0-380V 37.0A 0-400Hz 18.5kW	
	IS650XT045(a)	3PH AC 380-440V 36.0A 50/60Hz	3PH AC 0-380V 45.0A 0-400Hz 22kW	
	IS650XT060(a)	3PH AC 380-440V 48.0A 50/60Hz	3PH AC 0-380V 60.0A 0-400Hz 30kW	400x250x220
	MD500L-T18.5GB(a)	3PH AC 380-480V 49.5A 50/60Hz	3PH AC 0-480V 37.0A 0-500Hz 18.5kW	350×210×192
	MD500L-T22GB(a)	3PH AC 380-480V 59A 50/60Hz	3PH AC 0-480V 45.0A 0-500Hz 22kW	
	MD500L-T30GB(a)	3PH AC 380-480V 57A 50/60Hz	3PH AC 0-480V 60.0A 0-500Hz 30kW	400x250x220
Elevator AC Drive	MD290T18.5G/22PB(a)	3PH AC 380-480V 44.0A 50/60Hz	3PH AC 0-480V 37.0A 0-500Hz 18.5kW	350×210×192
	MD290T22G/30PB(a)	3PH AC 380-480V 59.0A 50/60Hz	3PH AC 0-480V 45.0A 0-500Hz 22kW	
	MD290T30G/37PB(a)	3PH AC 380-480V 65.8A 50/60Hz	3PH AC 0-480V 60.0A 0-500Hz 30kW	400×250×220
	MD290T37G/45PB(a)	3PH AC 380-480V 71.0A 50/60Hz	3PH AC 0-480V 75.0A 0-500Hz 37kW	

License condition
All models with input voltage 200-240V~, three phase. When they are used in EU countries, an external 400V~ to 200-240V~ step down transformer should be used.

This Attestation does not replace the regulatory EU Declaration of Conformity (DoC) and does not allow for CE marking. After preparation of the necessary documentation and establishing compliance to requirements of all applicable directives, the manufacturer may sign a DoC and apply the CE marking. The DoC is issued under the sole responsibility of the manufacturer.

TÜV SÜD Product Service GmbH • Ridlerstraße 65 • 80339 Munich • Germany

TÜV®