ATTESTATION ◆ ATTESTATO ◆ ATTESTACIÓN ◆ BESCHEINIGUNG ◆ ATTESTATION

Product Service

Attestation of Conformity

No. E8A 092835 0196 Rev. 00

Holder of Attestation: **Suzhou Inovance Technology Co., Ltd.**
No. 52, Tian E Dang Road, Wuzhong District
215104 Suzhou City, Jiangsu Province
PEOPLE'S REPUBLIC OF CHINA

Name of Object: **Electronic frequency converter [AC Servo Drive(Drive unit)]**

This Attestation of Conformity is issued on a voluntary basis according to the Directive 2014/30/EU relating to electromagnetic compatibility. It confirms that the listed apparatus complies with the principal protection requirements of the directive and is based on the technical specifications applicable at the time of issuance. It refers only to the particular sample submitted for conformity assessment. For details see: www.tuvsud.com/ps-cert

Test report no.: 6876017094407

Date, 2025-08-25

(Laurent Yuan)

This Attestation does not replace the regulatory EU Declaration of Conformity (DoC) and does not allow for CE marking. After preparation of the necessary documentation and establishing compliance to requirements of all applicable directives, the manufacturer may sign a DoC and apply the CE marking. The DoC is issued under the sole responsibility of the manufacturer.

TÜV SÜD Product Service GmbH • Ridlerstraße 65 • 80339 Munich • Germany

TÜV®

ATTESTATION ◆ ATTESTATO ◆ ATESTACIÓN ◆ BESCHEINIGUNG ◆ ATTESTATION

Product Service

Attestation of Conformity

No. E8A 092835 0196 Rev. 00

Model(s):

IS810P-50M4T017-x(a); IS810P-50M4T021-x(a); IS810P-50M4T025-x(a); IS810P-50M4T032-x(a); IS810P-50M4T037-x(a); IS810P-50M4T045-x(a); IS810P-50M4T060-x(a); IS810P-50M4T075-x(a); IS810N50M4TD017INT(a); IS810N50M4TD021INT(a); IS810N50M4TD026INT(a); IS810N50M4TD032INT(a); IS810N50M4TD037INT(a); IS810N50M4TS017INT(a); IS810N50M4TS021INT(a); IS810N50M4TS026INT(a); IS810N50M4TS032INT(a); IS810N50M4TS037INT(a); IS810N50M4TS045INT(a); IS810N50M4TS060INT(a); IS810N50M4TS075INT(a)
[Remark: x represents optional communication part, which can be C or CO; (a): The model number may include a suffix 'XXXXXXXXXX', where 'XXXXXXXXXX' can be blank or combination of any alphanumeric and/or symbols that represents customer identity.]

Description of Object:

Rated Input : See below table for details
Rated Output : See below table for details

Tested according to:

EN 61800-3:2004/A1:2012
EN IEC 61800-3:2018
EN IEC 61800-3:2023
EN 55011:2016/A2:2021
EN 61000-6-4:2007/A1:2011
EN IEC 61000-6-4:2019
EN 61000-6-2:2005
EN IEC 61000-6-2:2019

This Attestation does not replace the regulatory EU Declaration of Conformity (DoC) and does not allow for CE marking. After preparation of the necessary documentation and establishing compliance to requirements of all applicable directives, the manufacturer may sign a DoC and apply the CE marking. The DoC is issued under the sole responsibility of the manufacturer.

TÜV SÜD Product Service GmbH • Ridlerstraße 65 • 80339 Munich • Germany

TÜV®

ATTESTATION ◆ ATTESTATO ◆ ATESTACIÓN ◆ BESCHEINIGUNG ◆ ATTESTATION

Product Service

Attestation of Conformity

No. E8A 092835 0196 Rev. 00

Model No.	Rated Input	Rated Output
IS810P-50M4T017-x(a)	537-679VDC, 21.0A	3PH AC 0-380V, 17.0A, 0-400Hz
IS810P-50M4T021-x(a)	537-679VDC, 26.0A	3PH AC 0-380V, 21.0A, 0-400Hz
IS810P-50M4T025-x(a)	537-679VDC, 31.0A	3PH AC 0-380V, 25.0A, 0-400Hz
IS810P-50M4T032-x(a)	537-679VDC, 40.0A	3PH AC 0-380V, 32.0A, 0-400Hz
IS810P-50M4T037-x(a)	537-679VDC, 46.0A	3PH AC 0-380V, 37.0A, 0-400Hz
IS810P-50M4T045-x(a)	537-679VDC, 55.0A	3PH AC 0-380V, 45.0A, 0-400Hz
IS810P-50M4T060-x(a)	537-679VDC, 73.0A	3PH AC 0-380V, 60.0A, 0-400Hz
IS810P-50M4T075-x(a)	537-679VDC, 90.0A	3PH AC 0-380V, 75.0A, 0-400Hz
IS810N50M4TD017INT(a)	537-679VDC, 41.0A	Output 1:3PH AC 0-380V,16.5A, 0-400Hz; Output 2:3PH AC 0-380V,16.5A, 0-400Hz
IS810N50M4TD021INT(a)	537-679VDC, 52.0A	Output 1:3PH AC 0-380V, 20.8A, 0-400Hz; Output 2:3PH AC 0-380V, 20.8A, 0-400Hz;
IS810N50M4TD026INT(a)	537-679VDC, 62.0A	Output 1:3PH AC 0-380V, 25.7A, 0-400Hz; Output 2:3PH AC 0-380V, 25.7A, 0-400Hz;
IS810N50M4TD032INT(a)	537-679VDC, 80.0A	Output 1:3PH AC 0-380V, 32.0A, 0-400Hz; Output 2:3PH AC 0-380V, 32.0A, 0-400Hz;
IS810N50M4TD037INT(a)	537-679VDC, 92.0A	Output 1:3PH AC 0-380V, 37.0A, 0-400Hz; Output 2:3PH AC 0-380V, 37.0A, 0-400Hz;
IS810N50M4TS017INT(a)	537-679VDC, 21.0A	3PH AC 0-380V, 16.5A, 0-400Hz
IS810N50M4TS021INT(a)	537-679VDC, 26.0A	3PH AC 0-380V, 20.8A, 0-400Hz
IS810N50M4TS026INT(a)	537-679VDC, 31.0A	3PH AC 0-380V, 25.7A, 0-400Hz
IS810N50M4TS032INT(a)	537-679VDC, 40.0A	3PH AC 0-380V, 32.0A, 0-400Hz
IS810N50M4TS037INT(a)	537-679VDC, 46.0A	3PH AC 0-380V, 37.0A, 0-400Hz
IS810N50M4TS045INT(a)	537-679VDC, 57.0A	3PH AC 0-380V, 45.0A, 0-400Hz
IS810N50M4TS060INT(a)	537-679VDC, 76.0A	3PH AC 0-380V, 60.0A, 0-400Hz
IS810N50M4TS075INT(a)	537-679VDC, 95.0A	3PH AC 0-380V, 75.0A, 0-400Hz

This Attestation does not replace the regulatory EU Declaration of Conformity (DoC) and does not allow for CE marking. After preparation of the necessary documentation and establishing compliance to requirements of all applicable directives, the manufacturer may sign a DoC and apply the CE marking. The DoC is issued under the sole responsibility of the manufacturer.

TÜV SÜD Product Service GmbH • Ridlerstraße 65 • 80339 Munich • Germany

TÜV®