ATTESTATION ◆ ATTESTATO ◆ ATTESTACIÓN ◆ BESCHEINIGUNG ◆ ATTESTATION

Product Service

Attestation of Conformity

No. E8A 092835 0159 Rev. 00

Holder of Attestation: **Suzhou Inovance Technology Co., Ltd.**
No. 52, Tian E Dang Road, Wuzhong District
215104 Suzhou City, Jiangsu Province
PEOPLE'S REPUBLIC OF CHINA

Name of Object: **Electronic frequency converter (AC Drive; Expansion Card)**

This Attestation of Conformity is issued on a voluntary basis according to the Directive 2014/30/EU relating to electromagnetic compatibility. It confirms that the listed apparatus complies with the principal protection requirements of the directive and is based on the technical specifications applicable at the time of issuance. It refers only to the particular sample submitted for conformity assessment. For details see: www.tuvsud.com/ps-cert

Test report no.: 687601784306

Date, 2025-08-05

(Jessie He)

This Attestation does not replace the regulatory EU Declaration of Conformity (DoC) and does not allow for CE marking. After preparation of the necessary documentation and establishing compliance to requirements of all applicable directives, the manufacturer may sign a DoC and apply the CE marking. The DoC is issued under the sole responsibility of the manufacturer.

TÜV SÜD Product Service GmbH • Ridlerstraße 65 • 80339 Munich • Germany

TÜV®

ATTESTATION ◆ ATTESTATO ◆ ATTESTACIÓN ◆ BESCHEINIGUNG ◆ ATTESTATION

Product Service

Attestation of Conformity

No. E8A 092835 0159 Rev. 00

Model(s):

AC Drive:
MD500T0.4GB(a), MD500T0.7GB(a), MD500T1.1GB(a),
MD500T1.5GB(a), MD500T2.2GB(a), MD500T3.0GB(a),
MD500ET0.4GB(a), MD500ET0.7GB(a), MD500ET1.1GB(a),
MD500ET1.5GB(a), MD500ET2.2GB(a), MD500ET3.0GB(a),
CS710-4T0.4GB(a), CS710-4T0.7GB(a),
CS710-4T1.1GB(a), CS710-4T1.5GB(a),
CS710-4T2.2GB(a), CS710-4T3.0GB(a),
MD290T0.4G/0.7PB(a), MD290T0.7G/1.1PB(a),
MD290T1.1G/1.5PB(a), MD290T1.5G/2.2PB(a),
MD290T2.2G/3.0PB(a), MD290T3.0G/3.7PB(a),
MD500T0.4G/0.7PB-PLUS(a), MD500T0.7G/1.1PB-PLUS(a),
MD500T1.1G/1.5PB-PLUS(a), MD500T1.5G/2.2PB-PLUS(a),
MD500T2.2G/3PB-PLUS(a),
MD500T3.0G/3.7PB-PLUS(a), MD500T0.4GB-PLUS(a),
MD500T0.7GB-PLUS(a), MD500T1.1GB-PLUS(a),
MD500T1.5GB-PLUS(a), MD500T2.2GB-PLUS(a),
MD500T3.0GB-PLUS(a), IS580T420-R1(a), MD520-4T0.4B(a),
MD520-4T0.7B(a), MD520-4T1.1B(a),
MD520-4T1.5B(a), MD520-4T2.2B(a), MD520-4T3.0B(a),
MD520-4T0.4BS(a), MD520-4T0.7BS(a), MD520-4T1.1BS(a),
MD520-4T1.5BS(a), MD520-4T2.2BS(a),
MD520-4T3.0BS(a), MD520-2T0.4B(a), MD520-2T0.7B(a),
MD520-2T1.1B(a), MD520-2T1.5B(a), MD520-2T0.4BS(a),
MD520-2T0.7BS(a), MD520-2T1.1BS(a), MD520-2T1.5BS(a),
MD520-4T110(a), MD580-4T2R1B(a),
MD580-4T2R1B-LCD-S(a), MD580-4T2R1B-S(a),
MD580-4T3R1B(a), MD580-4T3R1B-LCD-S(a),
MD580-4T3R1B-S(a), MD580-4T3R8B(a),
MD580-4T3R8B-LCD-S(a), MD580-4T3R8B-S(a),
MD580-4T5R1B(a), MD580-4T5R1B-LCD-S(a),
MD580-4T5R1B-S(a), MD580-4T7R2B(a),
MD580-4T7R2B-LCD-S(a), MD580-4T7R2B-S(a),
MD580-4T9B(a), MD580-4T9B-LCD-S(a),
MD580-4T9B-S(a), MD580-4T60B(a), MD580-4T37B(a),
HVD100E-4T0.7PB(a), HVD100E-4T1.1PB(a),
HVD100E-4T1.5PB(a), HVD100E-4T2.2PB(a),
HVD100E-4T3.0PB(a), HVD100E-4T3.7PB(a),
MD480T0.4GB-PLUS(a), MD480T0.7GB-PLUS(a),
MD480T1.1GB-PLUS(a), MD480T1.5GB-PLUS(a),
MD480T2.2GB-PLUS(a), MD480T3.0GB-PLUS(a),
MD500-2T0.4GB(a), MD500-2T0.7GB(a),
MD500-2T1.1GB(a), MD500-2T1.5GB(a),
MD500E-2T0.4GB(a), MD500E-2T0.7GB(a),
MD500E-2T1.1GB(a), MD500E-2T1.5GB(a),
MD290-2T0.4G/0.7PB(a), MD290-2T0.7G/1.1PB(a),
MD290-2T1.1G/1.5PB(a), MD290-2T1.5G/2.2PB(a),
MD500-2T0.4G/0.7PB-PLUS(a), MD500-2T0.7G/1.1PB-PLUS(a),
MD500-2T1.1G/1.5PB-PLUS(a), MD500-2T1.5G/2.2PB-PLUS(a)

This Attestation does not replace the regulatory EU Declaration of Conformity (DoC) and does not allow for CE marking. After preparation of the necessary documentation and establishing compliance to requirements of all applicable directives, the manufacturer may sign a DoC and apply the CE marking. The DoC is issued under the sole responsibility of the manufacturer.

ATTESTATION ◆ ATTESTATO ◆ ATESTACIÓN ◆ BESCHEINIGUNG ◆ ATTESTATION

Product Service

Attestation of Conformity

No. E8A 092835 0159 Rev. 00

Expansion Card: MD580-HSMT-ATEX1(a)

[(a): The model number may include a suffix "XXXXXXXXXX", Where "XXXXXXXXXX" can be blank or combination of any alphanumeric and/or symbols that represents customer identity.]

Description of Object:

Ratings: See below table for details

Tested according to:

EN 61800-3:2004/A1:2012
EN IEC 61800-3:2018
EN IEC 61800-3:2023
EN 55011:2016/A2:2021
EN 61000-6-4:2007/A1:2011
EN IEC 61000-6-4:2019
EN 61000-6-2:2005
EN IEC 61000-6-2:2019
EN 12015:2014
EN 12015:2020
EN 12016:2013

This Attestation does not replace the regulatory EU Declaration of Conformity (DoC) and does not allow for CE marking. After preparation of the necessary documentation and establishing compliance to requirements of all applicable directives, the manufacturer may sign a DoC and apply the CE marking. The DoC is issued under the sole responsibility of the manufacturer.

TÜV SÜD Product Service GmbH • Ridlerstraße 65 • 80339 Munich • Germany

TÜV®

ATTESTATION ◆ ATTESTATO ◆ ATESTACIÓN ◆ BESCHEINIGUNG ◆ ATTESTATION

Product Service

Attestation of Conformity

No. E8A 092835 0159 Rev. 00

Model No.	Rated Input	Rated Output
MD500T0.4GB(a)	3PH AC 380-480V, 1.8A, 50/60Hz	3PH AC 0-480V, 1.5A, 0-500Hz, 0.4kW
MD500T0.7GB(a)	3PH AC 380-480V, 2.4A, 50/60Hz	3PH AC 0-480V, 2.1A, 0-500Hz, 0.75kW
MD500T1.1GB(a)	3PH AC 380-480V, 3.7A, 50/60Hz	3PH AC 0-480V, 3.1A, 0-500Hz, 1.1kW
MD500T1.5GB(a)	3PH AC 380-480V, 4.6A, 50/60Hz	3PH AC 0-480V, 3.8A, 0-500Hz, 1.5kW
MD500T2.2GB(a)	3PH AC 380-480V, 6.3A, 50/60Hz	3PH AC 0-480V, 5.1A, 0-500Hz, 2.2kW
MD500T3.0GB(a)	3PH AC 380-480V, 9.0A, 50/60Hz	3PH AC 0-480V, 7.2A, 0-500Hz, 3.0kW
MD500ET0.4GB(a)	3PH AC 380-480V, 1.8A, 50/60Hz	3PH AC 0-480V, 1.5A, 0-500Hz, 0.4kW
MD500ET0.7GB(a)	3PH AC 380-480V, 2.4A, 50/60Hz	3PH AC 0-480V, 2.1A, 0-500Hz, 0.75kW
MD500ET1.1GB(a)	3PH AC 380-480V, 3.7A, 50/60Hz	3PH AC 0-480V, 3.1A, 0-500Hz, 1.1kW
MD500ET1.5GB(a)	3PH AC 380-480V, 4.6A, 50/60Hz	3PH AC 0-480V, 3.8A, 0-500Hz, 1.5kW
MD500ET2.2GB(a)	3PH AC 380-480V, 6.3A, 50/60Hz	3PH AC 0-480V, 5.1A, 0-500Hz, 2.2kW
MD500ET3.0GB(a)	3PH AC 380-480V, 9.0A, 50/60Hz	3PH AC 0-480V, 7.2A, 0-500Hz, 3.0kW
CS710-4T0.4GB(a)	3PH AC 380-480V, 1.8A, 50/60Hz	3PH AC 0-480V, 1.5A, 0-500Hz, 0.4kW
CS710-4T0.7GB(a)	3PH AC 380-480V, 2.4A, 50/60Hz	3PH AC 0-480V, 2.1A, 0-500Hz, 0.75kW
CS710-4T1.1GB(a)	3PH AC 380-480V, 3.7A, 50/60Hz	3PH AC 0-480V, 3.1A, 0-500Hz, 1.1kW
CS710-4T1.5GB(a)	3PH AC 380-480V, 4.6A, 50/60Hz	3PH AC 0-480V, 3.8A, 0-500Hz, 1.5kW
CS710-4T2.2GB(a)	3PH AC 380-480V, 6.3A, 50/60Hz	3PH AC 0-480V, 5.1A, 0-500Hz, 2.2kW
CS710-4T3.0GB(a)	3PH AC 380-480V, 9.0A, 50/60Hz	3PH AC 0-480V, 7.2A, 0-500Hz, 3.0kW
MD290T0.4G/0.7PB(a)	3PH AC 380-480V, 2.5A, 50/60Hz	3PH AC 0-480V, 2.1A, 0-500Hz, 0.75kW
MD290T0.7G/1.1PB(a)	3PH AC 380-480V, 3.7A, 50/60Hz	3PH AC 0-480V, 3.1A, 0-500Hz, 1.1kW
MD290T1.1G/1.5PB(a)	3PH AC 380-480V, 4.6A, 50/60Hz	3PH AC 0-480V, 3.8A, 0-500Hz, 1.5kW
MD290T1.5G/2.2PB(a)	3PH AC 380-480V, 6.4A, 50/60Hz	3PH AC 0-480V, 5.1A, 0-500Hz, 2.2kW
MD290T2.2G/3.0PB(a)	3PH AC 380-480V, 9.1A, 50/60Hz	3PH AC 0-480V, 7.2A, 0-500Hz, 3.0kW
MD290T3.0G/3.7PB(a)	3PH AC 380-480V, 11.3A, 50/60Hz	3PH AC 0-480V, 9.0A, 0-500Hz, 3.7kW
MD500T0.4G/0.7PB-PLUS(a)	3PH AC 380-480V, 1.8A/2.5A, 50/60Hz	3PH AC 0-480V, 1.5A/2.1A, 0-599Hz, 0.4kW/0.75kW
MD500T0.7G/1.1PB-PLUS(a)	3PH AC 380-480V, 2.4A/3.7A, 50/60Hz	3PH AC 0-480V, 2.1A/3.1A, 0-599Hz, 0.75kW/1.1kW
MD500T1.1G/1.5PB-PLUS(a)	3PH AC 380-480V, 3.7A/4.6A, 50/60Hz	3PH AC 0-480V, 3.1A/3.8A, 0-599Hz, 1.1kW/1.5kW
MD500T1.5G/2.2PB-PLUS(a)	3PH AC 380-480V, 4.6A/6.4A, 50/60Hz	3PH AC 0-480V, 3.8A/5.1A, 0-599Hz, 1.5kW/2.2kW
MD500T2.2G/3PB-PLUS(a)	3PH AC 380-480V, 6.3A/9.1A, 50/60Hz	3PH AC 0-480V, 5.1A/7.2A, 0-599Hz, 2.2kW/3kW
MD500T3.0G/3.7PB-PLUS(a)	3PH AC 380-480V, 9A/11.3A, 50/60Hz	3PH AC 0-480V, 7.2A/9A, 0-599Hz, 3kW/3.7kW
MD500T0.4GB-PLUS(a)	3PH AC 380-480V, 1.8A, 50/60Hz	3PH AC 0-480V, 1.5A, 0-599Hz, 0.4kW
MD500T0.7GB-PLUS(a)	3PH AC 380-480V, 2.4A, 50/60Hz	3PH AC 0-480V, 2.1A, 0-599Hz, 0.75kW
MD500T1.1GB-PLUS(a)	3PH AC 380-480V, 3.7A, 50/60Hz	3PH AC 0-480V, 3.1A, 0-599Hz, 1.1kW
MD500T1.5GB-PLUS(a)	3PH AC 380-480V, 4.6A, 50/60Hz	3PH AC 0-480V, 3.8A, 0-599Hz, 1.5kW
MD500T2.2GB-PLUS(a)	3PH AC 380-480V, 6.3A, 50/60Hz	3PH AC 0-480V, 5.1A, 0-599Hz, 2.2kW
MD500T3.0GB-PLUS(a)	3PH AC 380-480V, 9A, 50/60Hz	3PH AC 0-480V, 7.2A, 0-599Hz, 3kW
IS580T420-R1(a)	3PH AC 380-480V, 410A, 50/60Hz	3PH AC 0-480V, 426A, 0-300Hz, 220kW
MD520-4T0.4B(a)	3PH AC 380-480V, 1.8A/2.5A, 50/60Hz	3PH AC 0-480V, 1.5A/2.1A, 0-599Hz, 0.4kW/0.75kW
MD520-4T0.7B(a)	3PH AC 380-480V, 2.4A/3.7A, 50/60Hz	3PH AC 0-480V, 2.1A/3.1A, 0-599Hz, 0.75kW/1.1kW
MD520-4T1.1B(a)	3PH AC 380-480V, 3.7A/4.6A, 50/60Hz	3PH AC 0-480V, 3.1A/3.8A, 0-599Hz, 1.1kW/1.5kW
MD520-4T1.5B(a)	3PH AC 380-480V, 4.6A/6.4A, 50/60Hz	3PH AC 0-480V, 3.8A/5.1A, 0-599Hz, 1.5kW/2.2kW
MD520-4T2.2B(a)	3PH AC 380-480V, 6.3A/9.1A, 50/60Hz	3PH AC 0-480V, 5.1A/7.2A, 0-599Hz, 2.2kW/3kW
MD520-4T3.0B(a)	3PH AC 380-480V, 9A/11.3A, 50/60Hz	3PH AC 0-480V, 7.2A/9A, 0-599Hz, 3kW/3.7kW
MD520-4T0.4BS(a)	3PH AC 380-480V, 1.8A/2.5A, 50/60Hz	3PH AC 0-480V, 1.5A/2.1A, 0-599Hz, 0.4kW/0.75kW
MD520-4T0.7BS(a)	3PH AC 380-480V, 2.4A/3.7A, 50/60Hz	3PH AC 0-480V, 2.1A/3.1A, 0-599Hz, 0.75kW/1.1kW
MD520-4T1.1BS(a)	3PH AC 380-480V, 3.7A/4.6A, 50/60Hz	3PH AC 0-480V, 3.1A/3.8A, 0-599Hz, 1.1kW/1.5kW
MD520-4T1.5BS(a)	3PH AC 380-480V, 4.6A/6.4A, 50/60Hz	3PH AC 0-480V, 3.8A/5.1A, 0-599Hz, 1.5kW/2.2kW
MD520-4T2.2BS(a)	3PH AC 380-480V, 6.3A/9.1A, 50/60Hz	3PH AC 0-480V, 5.1A/7.2A, 0-599Hz, 2.2kW/3kW
MD520-4T3.0BS(a)	3PH AC 380-480V, 9A/11.3A, 50/60Hz	3PH AC 0-480V, 7.2A/9A, 0-599Hz, 3kW/3.7kW
MD520-2T0.4B(a)	3PH AC 200-240V, 2.4A/3.7A, 50/60Hz	3PH AC 0-240V, 2.1A/3.1A, 0-599Hz, 0.4kW/0.75kW
MD520-2T0.7B(a)	3PH AC 200-240V, 4.6A/6.4A, 50/60Hz	3PH AC 0-240V, 3.8A/5.1A, 0-599Hz, 0.75kW/1.1kW
MD520-2T1.1B(a)	3PH AC 200-240V, 6.3A/9.1A, 50/60Hz	3PH AC 0-240V, 5.1A/7.2A, 0-599Hz, 1.1kW/1.5kW
MD520-2T1.5B(a)	3PH AC 200-240V, 9.0A/11.3A, 50/60Hz	3PH AC 0-240V, 7.2A/9.0A, 0-599Hz, 1.5kW/2.2kW
MD520-2T0.4BS(a)	3PH AC 200-240V, 2.4A/3.7A, 50/60Hz	3PH AC 0-240V, 2.1A/3.1A, 0-599Hz, 0.4kW/0.75kW
MD520-2T0.7BS(a)	3PH AC 200-240V, 4.6A/6.4A, 50/60Hz	3PH AC 0-240V, 3.8A/5.1A, 0-599Hz, 0.75kW/1.1kW
MD520-2T1.1BS(a)	3PH AC 200-240V, 6.3A/9.1A, 50/60Hz	3PH AC 0-240V, 5.1A/7.2A, 0-599Hz, 1.1kW/1.5kW
MD520-2T1.5BS(a)	3PH AC 200-240V, 9.0A/11.3A, 50/60Hz	3PH AC 0-240V, 7.2A/9.0A, 0-599Hz, 1.5kW/2.2kW
MD520-4T110(a)	3PH AC 380-480V, 196A/239A, 50/60Hz	3PH AC 0-480V, 210A/253A, 0-599Hz, 10kW/132kW
MD580-4T2R1B(a)	3PH AC 380-480V, 1.8/2.5A, 50/60Hz	3PH AC 0-480V, 1.5/2.1A, 0-599Hz, 0.4/0.75kW
MD580-4T2R1B-LCD-S(a)	3PH AC 380-480V, 1.8/2.5A, 50/60Hz	3PH AC 0-480V, 1.5/2.1A, 0-599Hz, 0.4/0.75kW
MD580-4T2R1B-S(a)	3PH AC 380-480V, 1.8/2.5A, 50/60Hz	3PH AC 0-480V, 1.5/2.1A, 0-599Hz, 0.4/0.75kW
MD580-4T3R1B(a)	3PH AC 380-480V, 2.4/3.7A, 50/60Hz	3PH AC 0-480V, 2.1/3.1A, 0-599Hz, 0.75/1.1kW
MD580-4T3R1B-LCD-S(a)	3PH AC 380-480V, 2.4/3.7A, 50/60Hz	3PH AC 0-480V, 2.1/3.1A, 0-599Hz, 0.75/1.1kW
MD580-4T3R1B-S(a)	3PH AC 380-480V, 2.4/3.7A, 50/60Hz	3PH AC 0-480V, 2.1/3.1A, 0-599Hz, 0.75/1.1kW
MD580-4T3R8B(a)	3PH AC 380-480V, 3.7/4.6A, 50/60Hz	3PH AC 0-480V, 3.1/3.8A, 0-599Hz, 1.1/1.5kW
MD580-4T3R8B-LCD-S(a)	3PH AC 380-480V, 3.7/4.6A, 50/60Hz	3PH AC 0-480V, 3.1/3.8A, 0-599Hz, 1.1/1.5kW

This Attestation does not replace the regulatory EU Declaration of Conformity (DoC) and does not allow for CE marking. After preparation of the necessary documentation and establishing compliance to requirements of all applicable directives, the manufacturer may sign a DoC and apply the CE marking. The DoC is issued under the sole responsibility of the manufacturer.

Product Service

Attestation of Conformity

No. E8A 092835 0159 Rev. 00

MD580-4T3R8B-S(a)	3PH AC 380-480V, 3.7/4.6A, 50/60Hz	3PH AC 0-480V, 3.1/3.8A, 0-599Hz, 1.1/1.5kW
MD580-4T5R1B(a)	3PH AC 380-480V, 4.6/6.4A, 50/60Hz	3PH AC 0-480V, 3.8/5.1A, 0-599Hz, 1.5/2.2kW
MD580-4T5R1B-LCD-S(a)	3PH AC 380-480V, 4.6/6.4A, 50/60Hz	3PH AC 0-480V, 3.8/5.1A, 0-599Hz, 1.5/2.2kW
MD580-4T5R1B-S(a)	3PH AC 380-480V, 4.6/6.4A, 50/60Hz	3PH AC 0-480V, 3.8/5.1A, 0-599Hz, 1.5/2.2kW
MD580-4T7R2B(a)	3PH AC 380-480V, 6.3/9.1A, 50/60Hz	3PH AC 0-480V, 5.1/7.2A, 0-599Hz, 2.2/3kW
MD580-4T7R2B-LCD-S(a)	3PH AC 380-480V, 6.3/9.1A, 50/60Hz	3PH AC 0-480V, 5.1/7.2A, 0-599Hz, 2.2/3kW
MD580-4T7R2B-S(a)	3PH AC 380-480V, 6.3/9.1A, 50/60Hz	3PH AC 0-480V, 5.1/7.2A, 0-599Hz, 2.2/3kW
MD580-4T9B(a)	3PH AC 380-480V, 9.0/11.3A, 50/60Hz	3PH AC 0-480V, 7.2/9.0A, 0-599Hz, 3/3.7kW
MD580-4T9B-LCD-S(a)	3PH AC 380-480V, 9.0/11.3A, 50/60Hz	3PH AC 0-480V, 7.2/9.0A, 0-599Hz, 3/3.7kW
MD580-4T9B-S(a)	3PH AC 380-480V, 9.0/11.3A, 50/60Hz	3PH AC 0-480V, 7.2/9.0A, 0-599Hz, 3/3.7kW
MD580-4T60B(a)	3PH AC 380-480V, 59.0/65.8A, 50/60Hz	3PH AC 0-480V, 45.0/60.0A, 0-599Hz, 22/30kW
MD580-4T37B(a)	3PH AC 380-480V, 41.3/48.6A, 50/60Hz	3PH AC 0-480V, 32.0/37.0A, 0-599Hz, 15/18.5kW
HVD100E-4T0.7PB(a)	3PH AC 380-480V 2.5A 50/60Hz	3PH AC 0-480V 2.1A 0-599Hz 0.75kW
HVD100E-4T1.1PB(a)	3PH AC 380-480V 3.7A 50/60Hz	3PH AC 0-480V 3.1A 0-599Hz 1.1kW
HVD100E-4T1.5PB(a)	3PH AC 380-480V 4.6A 50/60Hz	3PH AC 0-480V 3.8A 0-599Hz 1.5kW
HVD100E-4T2.2PB(a)	3PH AC 380-480V 6.4A 50/60Hz	3PH AC 0-480V 5.1A 0-599Hz 2.2kW
HVD100E-4T3.0PB(a)	3PH AC 380-480V 9.1A 50/60Hz	3PH AC 0-480V 7.2A 0-599Hz 3kW
HVD100E-4T3.7PB(a)	3PH AC 380-480V 11.3A 50/60Hz	3PH AC 0-480V 9.0A 0-599Hz 3.7kW
MD480T0.4GB-PLUS(a)	3PH AC 380-480V 1.8A 50/60Hz	3PH AC 0-480V 1.5A 0-599Hz 0.4kW
MD480T0.7GB-PLUS(a)	3PH AC 380-480V 2.4A 50/60Hz	3PH AC 0-480V 2.1A 0-599Hz 0.75kW
MD480T1.1GB-PLUS(a)	3PH AC 380-480V 3.7A 50/60Hz	3PH AC 0-480V 3.1A 0-599Hz 1.1kW
MD480T1.5GB-PLUS(a)	3PH AC 380-480V 4.6A 50/60Hz	3PH AC 0-480V 3.8A 0-599Hz 1.5kW
MD480T2.2GB-PLUS(a)	3PH AC 380-480V 6.3A 50/60Hz	3PH AC 0-480V 5.1A 0-599Hz 2.2kW
MD480T3.0GB-PLUS(a)	3PH AC 380-480V 9.0A 50/60Hz	3PH AC 0-480V 7.2A 0-599Hz 3kW
MD500-2T0.4GB(a)	3PH AC 200-240V 2.4A 50/60Hz	3PH AC 0-240V 2.1A 0-500Hz 0.4kW
MD500-2T0.7GB(a)	3PH AC 200-240V 4.6A 50/60Hz	3PH AC 0-240V 3.8A 0-500Hz 0.75kW
MD500-2T1.1GB(a)	3PH AC 200-240V 6.3A 50/60Hz	3PH AC 0-240V 5.1A 0-500Hz 1.1kW
MD500-2T1.5GB(a)	3PH AC 200-240V 9.0A 50/60Hz	3PH AC 0-240V 7.2A 0-500Hz 1.5kW
MD500E-2T0.4GB(a)	3PH AC 200-240V 2.4A 50/60Hz	3PH AC 0-240V 2.1A 0-500Hz 0.4kW
MD500E-2T0.7GB(a)	3PH AC 200-240V 4.6A 50/60Hz	3PH AC 0-240V 3.8A 0-500Hz 0.75kW
MD500E-2T1.1GB(a)	3PH AC 200-240V 6.3A 50/60Hz	3PH AC 0-240V 5.1A 0-500Hz 1.1kW
MD500E-2T1.5GB(a)	3PH AC 200-240V 9.0A 50/60Hz	3PH AC 0-240V 7.2A 0-500Hz 1.5kW
MD290-2T0.4G/0.7PB(a)	3PH AC 200-240V 3.7A 50/60Hz	3PH AC 0-240V 3.1A 0-500Hz 0.7kW
MD290-2T0.7G/1.1PB(a)	3PH AC 200-240V 6.4A 50/60Hz	3PH AC 0-240V 5.1A 0-500Hz 1.1kW
MD290-2T1.1G/1.5PB(a)	3PH AC 200-240V 9.1A 50/60Hz	3PH AC 0-240V 7.2A 0-500Hz 1.5kW
MD290-2T1.5G/2.2PB(a)	3PH AC 200-240V 11.3A 50/60Hz	3PH AC 0-240V 9.0A 0-500Hz 2.2kW
MD500-2T0.4G/0.7PB-PLUS(a)	3PH AC 200-240V 2.4A/3.7A 50/60Hz	3PH AC 0-240V 2.1A/3.1A 0-599Hz 0.4kW/0.75kW
MD500-2T0.7G/1.1PB-PLUS(a)	3PH AC 200-240V 4.6A/6.4A 50/60Hz	3PH AC 0-240V 3.8A/5.1A 0-599Hz 0.75kW/1.1kW
MD500-2T1.1G/1.5PB-PLUS(a)	3PH AC 200-240V 6.3A/9.1A 50/60Hz	3PH AC 0-240V 5.1A/7.2A 0-599Hz 1.1kW/1.5kW
MD500-2T1.5G/2.2PB-PLUS(a)	3PH AC 200-240V 9.0A/11.3A 50/60Hz	3PH AC 0-240V 7.2A/9.0A 0-599Hz 1.5kW/2.2kW
MD580-HSMT-ATEX1(a)	DC 24V	/

This Attestation does not replace the regulatory EU Declaration of Conformity (DoC) and does not allow for CE marking. After preparation of the necessary documentation and establishing compliance to requirements of all applicable directives, the manufacturer may sign a DoC and apply the CE marking. The DoC is issued under the sole responsibility of the manufacturer.

TÜV SÜD Product Service GmbH • Ridlerstraße 65 • 80339 Munich • Germany

TÜV®