CERTIFICATE OF COMPLIANCE

Certificate Number	UL-US-L467465-116-10209102-2
Report Reference	E467465-20190201
Date	22-Sep-2023
Issued to:	Suzhou Inovance Technology Co Ltd 16 Youxiang Rd Yuexi Town Wuzhong District Suzhou, Jiangsu Sheng 215104 China
This is to certify that representative samples of	NMMS - Power Conversion Equipment See Addendum Page for Product Designation(s).
	Have been evaluated by UL in accordance with the Standard(s) indicated on this Certificate.
Standard(s) for Safety:	UL 61800-5-1, 1st Ed., Issue Date: 2012-06-08, Revision Date: 2021-02-11
Additional Information:	See the UL Online Certifications Directory at https://iq.ulprospector.com for additional information

This Certificate of Compliance indicates that representative samples of the product described in the certification report have met the requirements for UL certification. It does not provide authorization to apply the UL Mark. Only the Authorization Page that references the Follow-Up Services Procedure for ongoing surveillance provides authorization to apply the UL Mark.

Only those products bearing the UL Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Certification Mark on the product.

Deborah Jennings-Conner

Deborah Jennings-Conner, VP Regulatory Services

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at http://ul.com/aboutul/locations/

CERTIFICATE OF COMPLIANCE

Certificate Number UL-US-L467465-116-10209102-2
Report Reference E467465-20190201
Date 22-Sep-2023

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements

Model	Category Description
Cat. ES810 followed by 50M, followed by 4T,, followed by 005, 009, 013, 017, 025, 032, 037, Followed by 0 thru 9, Followed by 0 thru 9, Maybe followed by (a)	Power Conversion Equipment
Cat. ES810, followed by 20M,, followed by 4T, followed by 56 or 110, Followed by 0 thru 9, Followed by 0 thru 9, Maybe followed by (a)	Power Conversion Equipment
Cat. MD810 followed by 50M, followed by 4T,, followed by 1.5, 2.2, 3, 3.7, 5.5, 7.5, 11, 15, 18.5, followed by G, Followed by 0 thru 9, Followed by 0 thru 9, Followed by 0 thru 9, Maybe followed by (a)	Power Conversion Equipment
IS810 series, Power Conversion Equipment, Inverter Unit, Cat. IS810 followed by N, followed by -50M, followed by 4T, followed by S, followed by 3R5, 5R4, 8R4, 012, 017, 021, 026, 032, 090, 112, 152 or 240 followed by INT, maybe followed by (a). Power Conversion Equipment, Inverter Unit, Cat. IS810 followed by N, followed by -50M, followed by 4T, followed by D, followed by 3R5, 5R4, 8R4, 012, 017, 021, 026 and 032 followed by INT, maybe followed by (a).	Power Conversion Equipment
MD810, followed by 20M,, followed by 4T, followed by 22 or 45, followed by G, Followed by 0 thru 9, Followed by 0 thru 9, Followed by 0 thru 9, Maybe followed by (a), Models MD810-20M4T22ABC-FD, MD810-20M4T45ABC-FD.	Power Conversion Equipment
MD880 series, Open Type Power Conversion Equipment, Converter Unit, Cat. MD880, followed by -40D, followed by -0304 or 0395, maybe followed by (a).	Power Conversion Equipment

Deborah Jennings-Conner

Deborah Jennings-Conner, VP Regulatory Services

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at http://ul.com/aboutul/locations/

CERTIFICATE OF COMPLIANCE

Certificate Number	UL-CA-L467465-416-10209102-2
Report Reference	E467465-20190201
Date	22-Sep-2023

Issued to:

Suzhou Inovance Technology Co Ltd
16 Youxiang Rd
Yuexi Town
Wuzhong District
Suzhou, Jiangsu Sheng 215104
China

This is to certify that representative samples of

NMMS7 - Power Conversion Equipment Certified for Canada

See Addendum Page for Product Designation(s).

Have been evaluated by UL in accordance with the Standard(s) indicated on this Certificate.

Standard(s) for Safety: CSA C22.2 No. 274, 2nd Ed., Issue Date: 2017-04-01

Additional Information: See the UL Online Certifications Directory at https://iq.ulprospector.com for additional information

This Certificate of Compliance indicates that representative samples of the product described in the certification report have met the requirements for UL certification. It does not provide authorization to apply the UL Mark. Only the Authorization Page that references the Follow-Up Services Procedure for ongoing surveillance provides authorization to apply the UL Mark.

Only those products bearing the UL Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Certification Mark on the product.

Deborah Jennings-Conner

Deborah Jennings-Conner, VP Regulatory Services

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at http://ul.com/aboutul/locations/

CERTIFICATE OF COMPLIANCE

Certificate Number UL-CA-L467465-416-10209102-2
Report Reference E467465-20190201
Date 22-Sep-2023

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements

Model	Category Description
Cat. ES810 followed by 50M, followed by 4T,, followed by 005, 009, 013, 017, 025, 032, 037, Followed by 0 thru 9, Followed by 0 thru 9, Maybe followed by (a)	Power Conversion Equipment
Cat. ES810, followed by 20M,, followed by 4T, followed by 56 or 110, Followed by 0 thru 9, Followed by 0 thru 9, Maybe followed by (a)	Power Conversion Equipment
Cat. MD810 followed by 50M, followed by 4T,, followed by 1.5, 2.2, 3, 3.7, 5.5, 7.5, 11, 15, 18.5, followed by G, Followed by 0 thru 9, Followed by 0 thru 9, Followed by 0 thru 9, Maybe followed by (a)	Power Conversion Equipment
IS810 series, Power Conversion Equipment, Inverter Unit, Cat. IS810 followed by N, followed by -50M, followed by 4T, followed by S, followed by 3R5, 5R4, 8R4, 012, 017, 021, 026, 032, 090, 112, 152 or 240 followed by INT, maybe followed by (a). Power Conversion Equipment, Inverter Unit, Cat. IS810 followed by N, followed by -50M, followed by 4T, followed by D, followed by 3R5, 5R4, 8R4, 012, 017, 021, 026 and 032 followed by INT, maybe followed by (a).	Power Conversion Equipment
MD810, followed by 20M,, followed by 4T, followed by 22 or 45, followed by G, Followed by 0 thru 9, Followed by 0 thru 9, Followed by 0 thru 9, Maybe followed by (a), Models MD810-20M4T22ABC-FD, MD810-20M4T45ABC-FD.	Power Conversion Equipment
MD880 series, Open Type Power Conversion Equipment, Converter Unit, Cat. MD880, followed by -40D, followed by -0304 or 0395, maybe followed by (a).	Power Conversion Equipment

Deborah Jennings-Conner

Deborah Jennings-Conner, VP Regulatory Services

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at http://ul.com/aboutul/locations/